

## TRADITIONAL DRINKING FOUNTAINS

### **Retro Series**

MODEL M-40 ROUND SINGLE HEIGHT WITH FOOT PEDAL

#### STANDARD FEATURES

Model M-40 features rugged simplicity to provide antifreezing functionality with the control valve located below the frost line. Activating the pedal raises or lowers the internal supply line and waste tube assembly, controlling the valve. Constructed with all brass and a stainless steel mainspring, the M-40 is equipped with an automatic stream control for year-round use. The M-40 designed for trouble free reliability and easy maintenance. Standard brass castings conform to ASTM standards B61 and B62 for cast metals.

#### SUGGESTED SPECIFICATIONS

Drinking fountain shall be Murdock model M-40. Unit shall be capable of year-round use in freezing or inclement weather.

Base shall be fabricated of heavy, one-piece iron casting. Bowl shall supported by a black pipe outer casing. Base and outer casing shall be finished with a heavy grade oil-based enamel paint.

Bowl shall be a round, chrome-plated, solid brass casting with outer edge at least 8-1/2" from center of bubbler outlet. Drain opening in the bowl shall be fabricated of chrome-plated, solid brass casting and shall be adequately protected from stoppage and vandalism. Bubbler shall be chrome-plated, solid brass casting with outlet near edge of bowl above the rim. Mouthguard shall be chrome-plated, solid brass casting mounted on the outer edge of bowl to meet sanitary requirements. All solid brass castings shall conform to ASTM standards B61 and B62. Valve and bubbler conform with lead-free requirements of Public Law 111-380 (NO-LEAD), CHSC 116875 and NSF/ANSI 61, Section 9.

Valve shall be foot pedal operated spring loaded to close. Pedal shall consist of aluminum bronze. The mainspring shall be stainless steel wire with a 1/4" minimum diameter.

Complies with the following standards:





NSF/ANSI/CAN 61



Standard Model: M-40

DEPTH OF BURY	(additional costs may be incurred
---------------	-----------------------------------

☐ 2 ft. (61 cm) ☐ 5 ft. (152.4 cm) ☐ 3 ft. (91.4 cm) ☐ 6 ft. (182.9 cm)

☐ 4 ft. (121.9 cm) ☐ Other

### **OPTIONS** (additional costs may be incurred)

Chrome plated bowl and mouth guard (Standard)

Polished brass bowl and mouth guard
Powder-coated brass bowl and mouth guard

**Brown** Pedestal color brown (standard)

☐ - Black Pedestal color black
☐ - Green Pedestal color green

Custom color finishes available upon request.





▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MURDOCK MFG. • 15125 Proctor Avenue • City of Industry, CA 91746 USA Phone 800-453-7465 or 626-333-2543 • www.murdockmfg.com

Member of MORRIS GROUP

M-40 12/01/23




# TRADITIONAL DRINKING FOUNTAINS


SINCE 1853


## **Retro Series**

MODEL M-40 ROUND SINGLE HEIGHT WITH FOOT PEDAL



\* Valve specifications: Minimum/Maximum Pressure 30 to 100 psi.





- (1) MOUTH GUARD
- (2) BUBBLER
- (3) BUBBLER GOOSENECK
- (4) BOWL
- (5) MAINSPRING

- (6) WATER SUPPLY LINE
- (7) PEDALSTAL
- (8) WASTE TUBE
- (9) .75 GPM FLOW CONTROL
- (10) VALVE

- (11) 3/4" IPS MALE SUPPLY CONNECTION
- 12) 2" IPS FEMALE DRAIN CONNECTION
- (13) FOOT PEDAL
- (14) PEDALSTAL BASE

LECTION SUMMARY APPROVAL FOR MANUFACTURING	Model Number & Options	Quantity	All dimensions are subject to manufactures tolerance of plus or minus 1/4" nominal and subject to change without notice. Murdock®
ıs ≹E	Company		assumes no responsibility for use of void or superseded data. Dimensions
CTION PPRO NUFA	Contact	Title	may change with the addition of optional accessories. Murdock® Mfg., Member of Morris Group International®.
SELE & A MA	Signature (Approval for Manufacturing)	Date	Please visit www.murdockmfg.com for most current specifications.

MURDOCK MFG. • 15125 Proctor Avenue • City of Industry, CA 91746 USA Phone 800-453-7465 or 626-333-2543 • www.murdockmfg.com

Member of MORRIS GROUP