

EXTENSIVE COMPETITIVE CROSSOVER



Oasis vs.

Water Coolers, Drinking Fountains & Bottle Fillers

Last Updated: Apr. 2016

Comparison Codes: EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal; P2 = Phase 2 Introduction

OASIS MODEL	DESCRIPTION		MURDOCK
INDOOR WATER COOLERS & DRINKING FOUNTAINS			
PG8AC	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A171108F
PG8ACT	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A111108F-SO
PGAC	Barrier free, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A171100F
PGACT	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated, less refrigeration	EQ	A111100F-SO
PG8ACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A172108F-UBL
PG8ACSTLM	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A172108F-UBL-SO
PGACSTLM	Barrier free bi-level, wall mounted cooler, sandstone powder coated, sensor operated, less refrigeration	EQ	A172100F-UBL-SO
PGACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A172100F-UBL
PGV8AC	Barrier free, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A171408S-VR
PGVF8AC	Barrier free, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant, filter	EQ	A171408S-VR-WF1
PGVAC	Barrier free, wall mounted cooler, SS, brass bubbler, vandal resistant, less refrigeration	EQ	A171400S-VR
PGVFAC	Barrier free, wall mounted cooler, SS, brass bubbler, vandal resistant, less refrigeration, filter	EQ	A171400S-VR-WF1
PGV8ACSL	Barrier free bi-level, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant,	EQ	A172408S-UBL-VR
PGVACSL	Barrier free bi-level, wall mounted cooler, SS, brass bubbler, vandal resistant, less refrigeration	EQ	A172400S-UBL-VR
PGV8AC-14G	Barrier free, wall mounted cooler, 14ga. SS, 8 gph, brass bubbler, vandal resistant,	EQ	A171408S-VR-FG
PGVAC-14G	Barrier free, wall mounted cooler, 14ga. SS, 8 gph, brass bubbler, vandal resistant, less refrigeration	EQ	A171400S-VR-FG
PGV8ACSL-14G	Barrier free bi-level, wall mounted cooler, 14ga. SS, 8 gph, brass bubbler, vandal resistant,	EQ	A172408S-FG-VR
PGF8ACSTLM	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8gph, filter, sensor operated,	EQ	A172108F-UBL-SO-WF1
PGFACSTLM	Barrier free bi-level, wall mounted cooler, sandstone powder coated, filter, sensor operated, less refrigeration	EQ	A172100F-UBL-SO-WF1
PRAMSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, less refrigeration, discontinued	EQ	A172100F-UBL
P8M	Wall mounted cooler, sandstone powder coated, 8 gph	EQ	A311108F
P14M	Wall mounted cooler, sandstone powder coated, 14 gph	OFFER	A311108F
PM	Wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A311100F
PLF8MH	Wall mounted cooler, sandstone powder coated, 8 gph, hot water glass filler	EQ	A311108F-HGF
PLF14MH	Wall mounted cooler, sandstone powder coated, 14 gph, hot water glass filler	OFFER	A311108F-HGF
PLF4CM	Compact, wall mounted cooler, sandstone powder coated, 4 gph	OFFER	A311108F
PCM	Compact, wall mounted cooler, sandstone powder coated, less refrigeration	OFFER	A311100F
P8FPM	Fully recessed, wall mounted cooler, SS, 8 gph, mounting sleeve	EQ	A481408S
P12FPM	Fully recessed, wall mounted cooler, SS, 12 gph, mounting sleeve	OFFER	A481408S
P8FPMCD	Fully recessed with cup filler component, wall mounted cooler, SS, 8 gph, mounting sleeve	OFFER	A481408S (special order: with cup dispenser)
P12FPMCD	Fully recessed with cup filler component, wall mounted cooler, SS, 12 gph, mounting sleeve	OFFER	A481408S (special order: with cup dispenser)
PF8WFEE	Inverted fully recessed, wall mounted cooler, SS, 8 gph, sensor operated, filter, mounting sleeve	OFFER	A181408S-WF1
M8CR	Barrier free bi-level, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A132408F-W32
M8CREE or M8CREM	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A132408F-W32-SO
M8WR	Barrier free, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A131408F
M8WREE or M8WREM	Barrier free, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A131408F-SO

EXTENSIVE COMPETITIVE CROSSOVER



Oasis vs.

Water Coolers, Drinking Fountains & Bottle Fillers

Last Updated: Apr. 2016

Comparison Codes: EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal; P2 = Phase 2 Introduction

OASIS MODEL	DESCRIPTION		MURDOCK
MMRSL	Barrier free bi-level, wall mounted fountain, SS, mounting frame	EQ	A132400F-W32
MMSLEM	Barrier free bi-level, wall mounted fountain, SS, mounting frame, sensor op	EQ	A132400F-W32-SO
ML110R	Wall mounted (short) fountain, SS, back panel, mounting frame	EQ	A421400F-BP1
M140R	Barrier free, wall mounted fountain, SS, back panel, mounting frame	EQ	A131400F-BP1
ML110RFZ	Wall mounted (short) fountain, SS, freeze resistant valve, back panel, mounting frame	EQ	A421400F-BP1-FRA1
M140RFZ	Barrier free, wall mounted fountain, SS, freeze resistant valve, back panel, mounting frame	EQ	A131400F-BP1-FRA1
M8SCPM	Barrier free bi-level, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A152408S-W32
M8SCEE or M8SCEM	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A152408S-W32-SO
M8SBPM	Barrier free, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A151408S
M8SBEE or M8SBEM	Barrier free, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A151408S-W32-SO
MSSL EE	Barrier free bi-level, wall mounted fountain, SS, mounting frame, sensor op	EQ	A152400S-W32-SO
MSSLPM	Barrier free bi-level, wall mounted fountain, SS, mounting frame	EQ	A152400S-W32
MSSLPM-14G	Barrier free bi-level, wall mounted fountain, 14 ga, SS, mounting frame	EQ	A152400S-FG-W32
M110PM	Wall mounted (short) fountain, SS, back panel, mounting frame	EQ	A441400F-BP2
M140PM	Barrier free, wall mounted fountain, SS, back panel, mounting frame	EQ	A151400F-BP2
M110FZ	Wall mounted (short) fountain, SS, freeze resistant valve, back panel	EQ	A441400F-BP2-FRA1
M140FZ	Barrier free, wall mounted fountain, SS, freeze resistant valve, back panel	EQ	A151400F-BP2-FRA1
P3CP	Compact, free standing cooler, sandstone powder coated, 3 gph	OFFER	A511105F
P5CP	Compact, free standing cooler, sandstone powder coated, 5 gph	EQ	A511105F
P8FA	Free standing cooler, sandstone powder coated, 8 gph	EQ	A611108F
P14FA	Free standing cooler, sandstone powder coated, 14 gph	OFFER	A611108F
PLF8FAH	Free standing cooler, sandstone powder coated, 8 gph, hot water glass filler	EQ	A611108F-HGF
PLF14FAH	Free standing cooler, sandstone powder coated, 14 gph, hot water glass filler	OFFER	A611108F-HGF
PLF7P	Free standing cooler, heavy duty, sandstone powder coated, 7 gph, brass bubbler	EQ	A611108S
PLF13P	Free standing cooler, heavy duty, sandstone powder coated, 13 gph, brass bubbler	OFFER	A611108S
R5	Remote water chiller, 5 gph	BE	A9100080-A
R8	Remote water chiller, 8 gph	EQ	A9100080-A
R12	Remote water chiller, 12 gph	OFFER	A9100080-A
F100	Wall mounted, SS fountain, push button bubbler	EQ	A4A1400P
F110PM	Wall mounted, SS fountain, push button	EQ	A441400S
F120	Wall mounted, SS round bowl fountain, push button bubbler with bracket	EQ	A461400Q
F140PM	Barrier free, wall mounted, SS fountain	EQ	A151400S
F140PM-14G	Barrier free, wall mounted, SS fountain, vandal resistant, 14 ga.	EQ	A151400S-FG
F211PM	Fully recessed, wall mounted, SS fountain, mounting frame	EQ	A181400S
F240PM	Barrier free, inverted, fully recessed, wall mounted, SS fountain, mounting frame	EQ	A181400S
F140R	Barrier free, wall mounted, SS fountain	EQ	A131400F
F140REE	Barrier free, wall mounted, SS fountain, sensor op	EQ	A131400F-SO
FLF221PM	Fully recessed, cuspidor, SS, mounting frame	EQ	A4804000-CUSP
FLF231PM	Fully recessed, fountain with cuspidor, SS, mounting frame	EQ	A181400B-CUSP
FLF300R	Deck mounted, round bowl fountain, SS	EQ	A861400Q

BOTTLE FILLER & COMBINATION UNITS

Note: All models noted * do not currently exist, contact B. Murdock

PG8EBF	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, electronic bottle filler w/counter	EQ	A171108F-BF2-BCD
PGF8EBF	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, electronic bottle filler w/counter, filter	EQ	A171108F-BF2-BCD-WF1

EXTENSIVE COMPETITIVE CROSSOVER



Oasis vs.

Water Coolers, Drinking Fountains & Bottle Fillers

Last Updated: Apr. 2016

Comparison Codes: EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal; P2 = Phase 2 Introduction

OASIS MODEL	DESCRIPTION		MURDOCK
PG8SBF	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, manual bottle filler	EQ	A171108F-BF1
PGF8SBF	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, manual bottle filler, filter	EQ	A171108F-BF1-WF1
PGEBF	Barrier free, wall mounted cooler, sandstone powder coated, less re Fridgeration, electronic bottle filler w/counter	EQ	A171100F-BF2-BCD
PGFEBF	Barrier free, wall mounted cooler, sandstone powder coated, less re Fridgeration, electronic bottle filler w/counter, filter	EQ	A171100F-BF2-BCD-WF1
PGSBF	Barrier free, wall mounted cooler, sandstone powder coated, less re Fridgeration, manual bottle filler	EQ	A171100F-BF1
PGFSBF	Barrier free, wall mounted cooler, sandstone powder coated, less re Fridgeration, manual bottle filler, filter	EQ	A171100F-BF1-WF1
PG8EBFSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, electronic bottle filler w/counter	EQ	A172108F-UBL-BF2-BCD
PGF8EBFSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, electronic bottle filler w/counter, filter	EQ	A172108F-UBL-BF2-BCD-WF1
PG8SBFL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, manual bottle filler	EQ	A172108F-UBL-BF1
PGEBFSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less re Fridgeration, electronic bottle filler w/counter	EQ	A172100F-UBL-BF2-BCD
PGFEBFSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less re Fridgeration, electronic bottle filler w/counter, filter	EQ	A172100F-UBL-BF2-BCD-WF1
PGSBFL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less re Fridgeration, manual bottle filler	EQ	A172100F-UBL-BF1
PGV8EBF	Barrier free, wall mounted cooler, vandal resistant, stainless steel, 8 gph, electronic bottle filler w/counter	EQ	A171408F-VR-BF2S-BCD
PGV8SBF	Barrier free, wall mounted cooler, vandal resistant, stainless steel, 8 gph, manual bottle filler	EQ	A171408F-VR-BF1S
PGVEBF	Barrier free, wall mounted cooler, vandal resistant, stainless steel, less re Fridgeration, electronic bottle filler w/counter	EQ	A171400F-VR-BF2S-BCD
PGVSBF	Barrier free, wall mounted cooler, vandal resistant, stainless steel, less re Fridgeration, manual bottle filler	EQ	A171400F-VR-BF1S
MW8EBF	Wall mounted electronic bottle filler, w/counter, 8 gph	EQ	BF48-BCD
MW12EBF	Wall mounted electronic bottle filler, w/counter, 12 gph*	OFFER	BF48-BCD
MWEBF	Wall mounted electronic bottle filler, w/counter, less re Fridgeration	EQ	BF4-BCD
MWG8SBF	Wall mounted manual bottler filler, 8gph	EQ	BF38
MWG12SBF	Wall mounted manual bottler filler, 12gph*	OFFER	BF38
MWGSBF	Wall mounted manual bottler filler, less re Fridgeration	EQ	BF3
PWSMEBF	Surface mounted electronic bottle filler w/counter*	OFFER	BF48-BCD
PWSMSBF	Surface mounted manual bottle filler*	OFFER	BF3
MWSMG8SBF	Surface mounted manual bottle filler, 8 gph*	OFFER	BF38
MWSMG12SBF	Surface mounted manual bottle filler, 12 gph*	OFFER	BF38
M140REBF	Wall mounted fountain, electronic bottle filler w/counter	EQ	A131400F-BF4-BCD
M8WREBF	Wall mounted fountain, electronic bottle filler w/counter, 8 gph	EQ	A131408F-BF4-BCD
M12WREBF	Wall mounted fountain, electronic bottle filler w/counter, 12 gph*	OFFER	A131408F-BF4-BCD
M8WRSBF	Wall mounted fountain, manual bottle filler, 8 gph	EQ	A131408F-BF3*
M12WRSBF	Wall mounted fountain, manual bottle filler, 12 gph*	OFFER	A131408F-BF3*
M8EBF	Wall mounted fountain, side mounted* electronic bottle filler w/counter, 8 gph	OFFER	A131408F-BF4-BCD
M12EBF	Wall mounted fountain, side mounted* electronic bottle filler w/counter, 12 gph*	OFFER	A131408F-BF4-BCD
MG8SBF	Wall mounted fountain, side mounted* manual bottle filler, 8 gph	OFFER	A131408F-BF3*
MG12SBF	Wall mounted fountain, side mounted* manual bottle filler, 8 gph	OFFER	A131408F-BF3*
MMRSLEBF	Bi-level fountain, electronic bottle filler w/counter	EQ	A132400F-BF4-BCD
MMRSLSBF	Bi-level fountain, manual bottle filler	EQ	A132400F-BF3*
M8CREBF	Bi-level fountain, electronic bottle filler w/counter, 8 gph	EQ	A132408F-BF4-BCD
M12CREBF	Bi-level fountain, electronic bottle filler w/counter, 12 gph*	OFFER	A132408F-BF4-BCD
M8CRSBF	Bi-level fountain, manual bottle filler, 8 gph	EQ	A132408F-BF3*
M12CRSBF	Bi-level fountain, manual bottle filler, 12 gph*	OFFER	A132408F-BF3*